



automatica

A Journal of IFAC the International
Federation of Automatic Control

Volume 43

Number 1

ISSN 0005-1098

January 2007

CONTENTS

REGULAR PAPERS

F. Ding and T. Chen	1	Performance analysis of multi-innovation gradient type identification methods
W. Su, L. Qiu and J. Chen	15	Fundamental limit of discrete-time systems in tracking multi-tone sinusoidal signals
S.S. Ge and K.P. Tee	31	Approximation-based control of nonlinear MIMO time-delay systems
I.R. Petersen	44	Equivalent realizations for uncertain systems with an IQC uncertainty description
BRIEF PAPERS		
Y. Zou, W. Wang, S. Xu and L. Xie	56	Jump modes analysis and observer design for discrete singular systems
K. Graichen, M. Treuer and M. Zeitz	63	Swing-up of the double pendulum on a cart by feedforward and feedback control with experimental validation
P. Park, D.J. Choi and S.G. Kong	72	Output feedback variable structure control for linear systems with uncertainties and disturbances
J. Xiong and J. Lam	80	Stabilization of linear systems over networks with bounded packet loss
M.L. Corradini and G. Orlando	88	Linear unstable plants with saturating actuators: Robust stabilization by a time varying sliding surface
W.-H. Chen and W.X. Zheng	95	Delay-dependent robust stabilization for uncertain neutral systems with distributed delays
V. Adetola and M. Guay	105	Parameter convergence in adaptive extremum-seeking control
S. Gillijns and B. De Moor	111	Unbiased minimum-variance input and state estimation for linear discrete-time systems

Continued on outside back cover

This article was originally published in a journal published by Elsevier, and the attached copy is provided by Elsevier for the author's benefit and for the benefit of the author's institution, for non-commercial research and educational use including without limitation use in instruction at your institution, sending it to specific colleagues that you know, and providing a copy to your institution's administrator.

All other uses, reproduction and distribution, including without limitation commercial reprints, selling or licensing copies or access, or posting on open internet sites, your personal or institution's website or repository, are prohibited. For exceptions, permission may be sought for such use through Elsevier's permissions site at:

<http://www.elsevier.com/locate/permissionusematerial>

Brief paper

PID controller synthesis for a class of unstable MIMO plants with I/O delays[☆]A.N. Gündes^a, H. Özbay^{b,*}, A.B. Özgüler^b^aDepartment of Electrical and Computer Engineering, University of California, Davis, CA 95616, USA^bDepartment of Electrical and Electronics Engineering, Bilkent University, Ankara 06800, Turkey

Received 30 December 2005; received in revised form 17 April 2006; accepted 14 August 2006

Available online 17 October 2006

Abstract

Conditions are presented for closed-loop stabilizability of linear time-invariant (LTI) multi-input, multi-output (MIMO) plants with I/O delays (time delays in the input and/or output channels) using PID (Proportional + Integral + Derivative) controllers. We show that systems with at most two unstable poles can be stabilized by PID controllers provided a small gain condition is satisfied. For systems with only one unstable pole, this condition is equivalent to having sufficiently small delay-unstable pole product. Our method of synthesis of such controllers identify some free parameters that can be used to satisfy further design criteria than stability.

© 2006 Elsevier Ltd. All rights reserved.

Keywords: PID control; Time delay; Unstable systems; Multi-input multi-output systems

1. Introduction

While finite dimensional linear time-invariant (LTI) systems are sufficiently accurate models for a wide range of dynamical phenomena, there are many cases in which delay effects cannot be ignored and have to be included in the model (Gu, Kharitonov, & Chen, 2003). An r input and r output LTI system with I/O delays (time delays in the input and/or output channels) can be represented by $G_A(s) := A_o(s)G(s)A_i(s)$, where $G(s)$ is the finite dimensional part (an $r \times r$ rational matrix), and $A_\star(s) = \text{diag}[e^{-T_1^\star s}, \dots, e^{-T_r^\star s}]$ is the delay matrix, where \star stands for i (input delay case) or o (output delay case). This paper considers closed-loop stabilization

(see Fig. 1) of such systems using *proper* PID-controllers (Goodwin, Graebe, & Salgado, 2001):

$$C_{\text{pid}}(s) = K_p + \frac{K_i}{s} + \frac{K_d s}{\tau_d s + 1}, \quad (1)$$

where K_p , K_i , K_d are real matrices and $\tau_d > 0$.

Stability of delay systems of retarded type, or even neutral type, is extensively investigated and many delay-independent and delay-dependent stability results are available (Gu et al., 2003; Niculescu, 2001). The feedback stabilization of delay systems is also well investigated. Since delay element is an integral part of process control systems, most of the tuning and internal model control techniques used in process control systems apply to delay systems (Aström & Hagglund, 1995). The more special, but practically very relevant (see Goodwin et al., 2001), problem of existence of stabilizing PID-controllers is unfortunately not easy to solve even for the delay-free case. One way of gaining insight into the difficulty of the problem is to note that the existence of a stabilizing PID-controller for a plant of transfer matrix $G(s)$ is equivalent to that of a *constant stabilizing output feedback* for a transformed multi-input multi-output (MIMO) plant. Alternatively, the problem can be posed as determining conditions of existence of a stable and fixed-order controller for the extended plant $G(s)\frac{s+1}{s}$, which is again

[☆] This paper was presented at the 6th IFAC Workshop on Time Delay Systems, July 2006, L'Aquila, Italy. This paper was recommended for publication in revised form by Associate Editor Tongwen Chen under the direction of Editor Ian Petersen. This work was supported in part by the European Commission under contract no. MIRG-CT-2004-006666 and by TÜBİTAK BAYG and EEEAG under grant no. EEEAG-105E065.

* Corresponding author. Tel.: +90 312 290 1449; fax: +90 312 266 4192.

E-mail addresses: angundes@ucdavis.edu (A.N. Gündes), hitay@bilkent.edu.tr (H. Özbay), ozguler@ee.bilkent.edu.tr (A.B. Özgüler).

¹ On leave from Department of Electrical and Computer Engineering, The Ohio State University, Columbus, OH 43210, USA.




Fig. 1. Unity-feedback system $Sys(G_A, C)$.

well-known to be a difficult problem (Blondel, Gevers, Mortini, & Rupp, 1994; Vidyasagar, 1985). It should be mentioned that there are some computational PID-stabilization methods, which consist of “efficient search” in the parameter space, recently developed for single-input single-output (SISO) delay-free systems (see Saadaoui & Özgüler, 2005 and the references therein). Some of these techniques have been extended to cover scalar, single-delay systems (Silva, Datta, & Bhattacharyya, 2005). Rigorous state-space based methods, which transform the PID design problem to static output feedback control design for an augmented system using LMI approaches, have also been developed for MIMO delay-free systems (see Lin, Wang, & Lee, 2004; Zheng, Wang, & Lee, 2002 and the references therein). A parameter-space approach for finding stability regions of a class of quasi-polynomials is proposed in Hohenbichler and Ackermann (2003). This technique can be used for finding stability regions in the PID controller parameter space for delay systems. For a plant consisting of a chain of integrators, stabilization using multiple delays is studied in Niculescu and Michiels (2004) and Kharitanov, Niculescu, Moreno, and Michiels (2005). Although the motivation of Niculescu and Michiels (2004) and Kharitanov et al. (2005) is to stabilize non-delayed plants using delayed output with static gains, clearly, their problem includes proportional control design for an integrator (and oscillator in the case of Kharitanov et al., 2005) with delay. This is also one of the special cases we study here.

In this paper, making a novel use of the small gain theorem, we obtain two main results: first, for MIMO plants with input and/or output delays, we obtain some sufficient conditions on the existence of stabilizing PID controllers, and second, we explicitly construct PID controllers for plants having only one unstable pole (under the condition that the product of the unstable pole with delay is sufficiently small). This construction is extended to the case of two unstable real or complex poles. As our goal is to establish existence of stabilizing PID controllers at this point, we do not consider performance issues but propose freedom in the design parameters that can be used to satisfy performance criteria.

Notation: \mathbb{R} , \mathbb{C} , \mathbb{C}_- , \mathbb{C}_+ denote real, complex, open left-half plane complex and open right-half plane complex numbers; \mathcal{U} denotes the extended closed right-half plane, i.e., $\mathcal{U} = \{s \in \mathbb{C} \mid \operatorname{Re}(s) \geq 0\} \cup \{\infty\}$; \mathbf{R}_p denotes proper rational functions; \mathbf{S} denotes stable proper real rational functions of s . The set of matrices whose entries are in \mathbf{S} is denoted by $\mathcal{M}(\mathbf{S})$. The space \mathcal{H}_∞ is the set of all bounded analytic functions in \mathbb{C}_+ . For $h \in \mathcal{H}_\infty$, the norm is defined as $\|h\|_\infty = \operatorname{ess\,sup}_{s \in \mathbb{C}_+} |h(s)|$, where $\operatorname{ess\,sup}$ denotes the essential supremum. A matrix-valued function H with all entries in \mathcal{H}_∞ is said to be in $\mathcal{M}(\mathcal{H}_\infty)$, and $\|H\|_\infty = \operatorname{ess\,sup}_{s \in \mathbb{C}_+} \bar{\sigma}(H(s))$, where $\bar{\sigma}$ denotes the maxi-

imum singular value. From the induced L^2 gain point of view, a system with transfer matrix H is stable if and only if $H \in \mathcal{M}(\mathcal{H}_\infty)$. For square $H \in \mathcal{M}(\mathcal{H}_\infty)$, H is unimodular if $H^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$. For simplicity, we drop (s) in transfer matrices such as $G(s)$ where this causes no confusion. Since all norms we are interested in are \mathcal{H}_∞ norms, we drop the norm subscript, i.e. $\|\cdot\|_\infty \equiv \|\cdot\|$, whenever this is clear from the context.

2. Problem description

Consider the standard unity-feedback system shown in Fig. 1, where $G \in \mathbf{R}_p^{r \times r}$ and $C \in \mathbf{R}_p^{r \times r}$ denote the plant without the time delay term (non-delayed plant, for short) and the controller transfer matrices. It is assumed that the feedback system is well-posed and that the non-delayed plant and the controller have no unstable hidden-modes. It is also assumed that $G \in \mathbf{R}_p^{r \times r}$ is full normal rank. The delay terms are in the form $\Lambda_\star = \operatorname{diag}[e^{-sT_1^\star}, \dots, e^{-sT_r^\star}]$, where, for $1 \leq j \leq r$, we have $T_j^\star \in \Theta_j^\star = [0, T_{j,\max}^\star) \subset \mathbb{R}_+$ and \star stands for i (input channel delays) or o (output channel delays). We assume that the delay upper bound $T_{j,\max}^\star$ is known for all input and output channels $j=1, \dots, r$. Define $\mathcal{T}^\star := (T_1^\star, \dots, T_r^\star)$ and $\Theta^\star := (\Theta_1^\star, \dots, \Theta_r^\star)$. As a shorthand notation we will write $(\mathcal{T}^i, \mathcal{T}^o) =: \mathcal{T} \in \Theta := (\Theta^i, \Theta^o)$ to represent all possibilities $T_j^\star \in \Theta_j^\star$, $1 \leq j \leq r$. We denote the delayed plant by $G_A := \Lambda_o(s)G(s)\Lambda_i(s)$. The closed-loop transfer matrix H_{cl} from (y_{ref}, v) to (u, y) is

$$H_{cl} = \begin{bmatrix} C(I + G_A C)^{-1} & -C(I + G_A C)^{-1} G_A \\ G_A C(I + G_A C)^{-1} & (I + G_A C)^{-1} G_A \end{bmatrix}. \quad (2)$$

We consider the proper form of PID-controllers in (1), where the real matrices K_p , K_i , K_d are called the proportional constant, the integral constant, and the derivative constant, respectively. Due to implementation issues of the derivative action, a pole is typically added to the derivative term (with $\tau_d \in \mathbb{R}$, $\tau_d > 0$ when $K_d \neq 0$) so that the transfer-function C_{pid} in (1) is proper. If one or more of the three terms K_p , K_i , K_d is zero, then the corresponding subscript is omitted from C_{pid} .

Definition 1. (a) The unity-feedback system $Sys(G_A, C)$, shown in Fig. 1, is said to be stable iff the closed-loop map H_{cl} is in $\mathcal{M}(\mathcal{H}_\infty)$. The set of all controllers stabilizing the feedback system for the plant G_A is denoted by $\mathcal{S}(G_A)$. (b) A delayed plant G_A , where $G \in \mathbf{R}_p^{r \times r}$, is said to admit a PID-controller iff there exists a PID-controller $C = C_{pid}$ as in (1) such that $C_{pid} \in \mathcal{S}(G_A)$. In this case G_A is stabilizable by a PID-controller.

Let $G = Y^{-1}X$ be any left coprime factorization (LCF) of the plant, $C = N_c D_c^{-1}$ be any right coprime factorization (RCF) of the controller, where we use coprime factorizations over \mathbf{S} ; i.e., for $G, C \in \mathbf{R}_p^{r \times r}$, $X, Y \in \mathcal{M}(\mathbf{S})$, $\det Y(\infty) \neq 0$, $N_c, D_c \in \mathcal{M}(\mathbf{S})$, $\det D_c(\infty) \neq 0$. Let X_A denote the “numerator” matrix of G_A , i.e., $X_A := \Lambda_o(s)X(s)\Lambda_i(s)$. Now if the “denominator” matrix Y of $G = Y^{-1}X$ is diagonal, then the delayed plant G_A can be expressed as $G_A = Y^{-1}X_A$. The controller C stabilizes

G_A if and only if $M_A := YD_c + X_A N_c \in \mathcal{M}(\mathcal{H}_\infty)$ is unimodular, i.e., $M_A^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$ (see Smith, 1989).

3. Main results

Throughout the paper we assume that Y^{-1} is diagonal, hence it commutes with Λ_0 . Thus $G_A = Y^{-1}X_A$ in all cases studied here.

The result in Lemma 1 is used in designing PI or PID controllers from P or PD controllers, i.e., integral action are added once proportional and derivative terms are designed. This result is a slight extension of Theorem 5.3.10 of Vidyasagar (1985) to systems with time delays.

Lemma 1 (Two-step controller synthesis). *Let $G \in \mathbf{R}_p^{r \times r}$. Suppose that $C_g \in \mathcal{S}(G_A)$, and $C_h \in \mathcal{S}(H_A)$ where $H_A := G_A(I + C_g G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$. Then $C = C_g + C_h$ is also in $\mathcal{S}(G_A)$.*

Although it is obvious that stable plants admit PID-controllers, the freedom in the stabilizing controller parameters is still worth investigating. We propose a PID-controller synthesis for stable plants in Proposition 2, which will be frequently referred to in the sequel.

Proposition 2. *Let $G \in \mathbf{S}^{r \times r}$ and assume (normal) $\text{rank } G(s) = r$. (i) PD-design: Choose any $\hat{K}_p, \hat{K}_d \in \mathbb{R}^{r \times r}$, $\tau_d > 0$. Define $\hat{C}_{pd} := \hat{K}_p + \frac{s\hat{K}_d}{\tau_d s + 1}$. Then, for any α satisfying $0 < \alpha < \|G\hat{C}_{pd}\|^{-1}$, a PD-controller in $\mathcal{S}(G_A)$, for all $\mathcal{T} \in \Theta$, is*

$$C_{pd}(s) = \alpha \hat{C}_{pd} = \alpha \hat{K}_p + \frac{\alpha s \hat{K}_d}{\tau_d s + 1}. \quad (3)$$

(ii) PID-design: Let $\text{rank } G(0) = r$. Choose any $\hat{K}_p, \hat{K}_d \in \mathbb{R}^{r \times r}$, $\tau_d > 0$. Define $\hat{C}_{pid} := \hat{K}_p + \frac{G(0)^{-1}}{s} + \frac{s\hat{K}_d}{\tau_d s + 1}$. Define $\Psi := s^{-1}[sG_A(s)\hat{C}_{pid} - I]$, $\tilde{\Psi} := s^{-1}[s\hat{C}_{pid}G_A(s) - I]$. Then a PID-controller stabilizing G_A for $\mathcal{T} \in \Theta$ is $C_{pid} = \gamma \hat{C}_{pid}$ for any γ satisfying

$$0 < \gamma < \max \left\{ \min_{\mathcal{T} \in \Theta} \|\Psi\|^{-1}, \min_{\mathcal{T} \in \Theta} \|\tilde{\Psi}\|^{-1} \right\}. \quad (4)$$

Proposition 3 gives general existence conditions for stabilizing PID controllers. If a stabilizing P, I, or D-controller exists, then it can be extended to a stabilizing PI, ID, PD, PID-controller:

Proposition 3. *Let $G \in \mathbf{R}_p^{r \times r}$. Let (normal) $\text{rank } G(s) = r$. (a) If G_A admits a PID-controller such that the integral constant $K_i \in \mathbb{R}^{r \times r}$ is nonzero, then G has no transmission-zeros at $s = 0$ and $\text{rank } K_i = r$. (b) If G_A admits a PID-controller such that any one of the three constants K_p, K_d, K_i is nonzero, then G_A admits a PID-controller such that any two of the three constants is nonzero, and G_A admits a PID-controller such that all of the three constants is nonzero. (c) If G_A admits a PID-controller such that two of the three constants K_p, K_d, K_i is*

nonzero, then G_A admits a PID-controller such that all of the three constants is nonzero. In (b) and (c), the integral constant $K_i \neq 0$ only if G has no transmission-zeros at $s = 0$.

Proposition 3 does not explicitly define plant classes that admit P, I, or D-controllers. We investigate specific classes and propose stabilizing PID-controller design methods next in Section 3.1.

3.1. Delayed plants that admit PID-controllers

Lemma 2 (Strong stabilizability is a necessary condition for PID stabilization). *Let $G \in \mathbf{R}_p^{r \times r}$. Let $\text{rank } G(s) = r$. If G_A admits a PID-controller for any $\mathcal{T} \in \Theta$, then G is strongly stabilizable.*

We now consider plants with a limited number of \mathcal{U} -poles, including $s = 0$. Limitations on the number of \mathcal{U} -poles are not surprising. Plants with an odd number of positive real-axis poles are not even strongly stabilizable if there are two or more positive real-axis zeros (including infinity). But even when the parity-interlacing-property is satisfied, plants that have more than two \mathcal{U} -poles do not necessarily admit PID-controllers. For example, the Routh–Hurwitz test shows that $G = (s - p)^{-3}$ does not admit a stabilizing PID controller for $p \geq 0$.

3.1.1. Plants with only one unstable real-axis pole

We consider transfer matrices $G \in \mathbf{R}_p^{r \times r}$ in the form

$$G = Y^{-1}X = \left[\frac{(s-p)}{as+1} I \right]^{-1} \left[\frac{(s-p)}{as+1} G \right], \quad (5)$$

where $p \in \mathbb{R}$, $p \geq 0$ and $a \in \mathbb{R}$, $a > 0$, and $\text{rank } X(p) = \text{rank}(s-p)G(s)|_{s=p} = r$. Since G has no transmission-zeros at $s = 0$, $\text{rank } X(0) = \text{rank}(s-p)G(s)|_{s=0} = r$. By a slight abuse of notation, we say that G has only one unstable pole if $Y(s)$ in (5) is identity times a scalar transfer function with a single finite \mathcal{U} -zero.

Proposition 4. *Let G be as in (5), with $X = \frac{(s-p)}{as+1} G \in \mathcal{M}(\mathbf{S})$, $\text{rank } X(p) = r$. Let $X(0)$ be nonsingular, $G^{-1}(0) = -pX(0)^{-1}$. (i) PD-design: Choose any $\tau_d > 0$, $\hat{K}_d \in \mathbb{R}^{r \times r}$. Define $\hat{C}_{pd} := X(0)^{-1} + \frac{s\hat{K}_d}{\tau_d s + 1}$ and $\Phi_A := s^{-1}[(s-p)G_A(s)\hat{C}_{pd}(s) - I]$, $\tilde{\Phi}_A := s^{-1}[\hat{C}_{pd}(s)(s-p)G_A(s) - I]$. If $0 \leq p < \max\{\min_{\mathcal{T} \in \Theta} \|\Phi_A\|^{-1}, \min_{\mathcal{T} \in \Theta} \|\tilde{\Phi}_A\|^{-1}\}$, then for any positive $\alpha \in \mathbb{R}$ satisfying (6), a PD-controller that stabilizes G_A for $\mathcal{T} \in \Theta$ is given by (7); if $\hat{K}_d = 0$, (7) is a P-controller:*

$$p < \alpha + p < \max \left\{ \min_{\mathcal{T} \in \Theta} \|\Phi_A\|^{-1}, \min_{\mathcal{T} \in \Theta} \|\tilde{\Phi}_A\|^{-1} \right\}, \quad (6)$$

$$C_{pd}(s) = (\alpha + p)\hat{C}_{pd}(s). \quad (7)$$

(ii) PID-design: Let C_{pd} be as (7) and $H_{pd} := G_A(I + C_{pd}G_A)^{-1}$. Define $\Upsilon := s^{-1}[H_{pd}(s)H_{pd}(0)^{-1} - I]$, $\tilde{\Upsilon} := s^{-1}[H_{pd}(0)^{-1}H_{pd}(s) - I]$. Then with $H_{pd}(0)^{-1} = \alpha X(0)^{-1}$, for




Fig. 2. Maximum K_p versus pT .




Fig. 3. Maximum $\|\Phi_A\|^{-1}$ versus h_1 and h_2 .

any $\gamma \in \mathbb{R}$ satisfying (8), a PID-controller that stabilizes G_A for $\mathcal{T} \in \Theta$ is given by (9); if $\hat{K}_d = 0$, (9) is a PI-controller:

$$0 < \gamma < \max \left\{ \min_{\mathcal{T} \in \Theta} \|\Upsilon\|^{-1}, \min_{\mathcal{T} \in \Theta} \|\tilde{\Upsilon}\|^{-1} \right\}, \quad (8)$$

$$C_{\text{pid}}(s) = C_{\text{pd}}(s) + \frac{\gamma \alpha X(0)^{-1}}{s}. \quad (9)$$

Example 1. Consider the delayed plant $G_A(s) = \frac{e^{-sT}}{s-p}$, where $p > 0$. Then for $a > 0$, $X := 1/(as + 1)$, $X(0) = 1$. Choose any $\hat{K}_d \in \mathbb{R}$, $\tau_d > 0$. By Proposition 4, if $p < \min_{\mathcal{T} \in \Theta} \|\Phi_A\|^{-1} = \min_{\mathcal{T} \in \Theta} \left\| \frac{e^{-sT}-1}{s} + \frac{e^{-sT}\hat{K}_d}{\tau_d s+1} \right\|^{-1}$, then for any α as (6), $C_{\text{pd}}(s) = (p + \alpha) + \frac{(p+\alpha)s\hat{K}_d}{\tau_d s+1}$ is a stabilizing PD-controller for G_A . For SISO plants, $\Phi_A = \tilde{\Phi}_A$. Now consider proportional controller design for a fixed T and p in this example. It is easy to show that a stabilizing P-controller exists if and only if $pT < 1$. Moreover, for any fixed $pT < 1$, there is a maximum allowable gain K_{max} for the proportional controller; this is shown in Fig. 2 as the exact bound. On the other hand, our approach uses the small gain argument and leads to $C_p = (p + \alpha)$ as the controller gain. With $\|\Phi_A\| = \left\| T \frac{(e^{-sT}-1)}{sT} \right\| = T$, the condition $p < \|\Phi_A\|^{-1}$ is the same as $pT < 1$. From the bound given in (6), $\alpha < T^{-1} - p$; the largest controller gain we can use in our case is $1/T$. This bound is also shown in Fig. 2, which illustrates that the approach used here is not too conservative. Fig. 2 also demonstrates the difficulty of controlling this plant using a proportional controller when the product of the unstable pole with delay is relatively large. Other fundamental performance limitations can also be quantified in terms of smallest achievable sensitivity level (Stein, 2003), or mixed sensitivity \mathcal{H}_∞ cost (Enns, Özbay, & Tannenbaum, 1992). Clearly, by using the derivative term we can improve the bound on largest allowable pT . The largest pole delay product for which we can

find a PD-controller is $1.38 = 1/0.725$, and that corresponds to $\tau_d \rightarrow 0$ and $\hat{K}_d/T = 0.31$.

Example 2. Consider the transfer matrix $G(s)$ of a distillation column (Friedland, 1986), where $G(s) = \frac{1}{s} G_o G_1(s)$ with $G_o = \begin{bmatrix} 3.04 & -278.2/180 \\ 0.052 & 206.6/180 \end{bmatrix}$, $G_1(s) = \begin{bmatrix} 1 & 0 \\ 0 & \frac{180}{(s+6)(s+30)} \end{bmatrix}$. An LCF is $G(s) = Y(s)^{-1} X(s)$, with $X(s) = \frac{1}{as+1} G_o G_1(s)$, $Y(s) = \frac{s}{as+1} I$, $a > 0$. Let the delays in the input channels be h_1 and h_2 , and consider proportional control only. In this case we have $\hat{C}_p = X(0)^{-1} = G_o^{-1}$, $C_p = \alpha X(0)^{-1} = \alpha G_o^{-1}$, and $\Phi_A(s) = s^{-1} [G_o G_1(s) A_i(s) G_o^{-1} - I]$. Fig. 3 shows $\|\Phi_A\|^{-1}$ versus h_1 and h_2 ; the largest value 4.86 is obtained for $h_1 = 0.18$, $h_2 = 0$. A delay of 0.18 s is needed in the first channel to equalize the phase lag in the input channels of $G_1 A_i$. In this case stability is guaranteed if $\alpha < \|\tilde{\Phi}_A\|^{-1}$, where $\|\tilde{\Phi}_A\| = \max\{h_1, h_2 + 0.2\}$. Clearly, the largest gain allowable is $\alpha_{\text{max}} = 5$, for $h_2 = 0$ and $0 \leq h_1 < 0.2$. This result is less conservative than the one obtained using the bound $\alpha < \|\Phi_A\|^{-1}$. For $h_2 = 0$, $h_1 > 0.2$ we have $\alpha_{\text{max}} = 1/h_1$. But when $C(s) = \alpha G_o^{-1}$, the characteristic equation of this system is $(1 + \frac{\alpha e^{-h_1 s}}{s})(1 + \frac{\alpha 180 e^{-h_2 s}}{s(s+6)(s+30)}) = 0$. When $h_2 = 0$, actual largest gain we can use is $\alpha_{\text{max,act}} = \min\{\alpha_{\text{max},1}, 36\}$, where $\alpha_{\text{max},1} = \frac{\pi}{2h_1}$; for $h_1 > 0.2$, $\alpha_{\text{max,act}} = \frac{\pi}{2h_1} \approx \frac{1.57}{h_1} > \alpha_{\text{max}} = \frac{1}{h_1}$, which illustrates the level of conservatism in this example. Now consider the PD-controller $C_{\text{pd}} = \alpha(I + \frac{s\hat{K}_d}{\tau_d s+1})G_o^{-1}$ in (7), where $\hat{K}_d = \tilde{K}_d G_o^{-1}$. The optimal derivative gain matrix $\hat{K}_d = \tilde{K}_d G_o^{-1}$ is the one that minimizes $\|\tilde{\Phi}_A\|$. Since $\tilde{\Phi}_A$ is diagonal, we restrict \tilde{K}_d to be in the form $\text{diag}(K_{d,1}, K_{d,2})$. Fig. 4 shows optimal $K_{d,1}$ (resp. $K_{d,2}$) versus h_1 (resp. h_2).

3.1.2. Plants with two unstable poles

Let $G \in \mathbb{R}_p^{r \times r}$ have full (normal) rank. Let G have no transmission zeros at $s=0$. Define $d := (a_1 s + 1)(a_2 s + 1)$ and $n := (s - p_1)(s - p_2)$, where $p_1, p_2 \in \mathcal{U}$, $a_1, a_2 \in \mathbb{R}$, $a_1, a_2 > 0$,




Fig. 4. Optimal $K_{d,1}$ and $K_{d,2}$.

and let G have an LCF:

$$G = Y^{-1}X = \begin{bmatrix} n \\ d \end{bmatrix} I^{-1} \begin{bmatrix} n \\ d \end{bmatrix} G, \quad (10)$$

where $\text{rank } X(p_j) = \text{rank } nG(s)|_{s=p_j} = r, j = 1, 2$. Since G has no transmission-zeros at $s=0$, $\text{rank } X(0) = \text{rank } nG(s)|_{s=0} = r$. We consider real and complex-conjugate pairs of poles as two separate cases:

Case (a): The two unstable poles are real: $p_1, p_2 \in \mathbb{R}_+$. Proposition 5(a) shows that under certain assumptions, the delayed plant G_A admits PD and PID-controllers. Some plants in this class (for example, $G = \frac{1}{(s-p_1)(s-p_2)}, p_1 \geq 0, p_2 \geq 0$) do not admit P, D, or I-controllers.

Case (b): The two poles are a complex-conjugate pair, i.e., $p_1 = \bar{p}_2, n = s^2 - (p_1 + p_2)s + p_1 p_2 = s^2 - 2fs + g^2, f \geq 0, g > 0, f < g$. In this case, $X(0) = g^2 G(0)$. Proposition 5(b) shows that under certain assumptions, the delayed plant G_A admits D, PD, ID, PID-controllers. Some plants in this class (for example, $G = \frac{1}{s^2 + g^2}, g \geq 0$) do not admit P-controllers or I-controllers.

Proposition 5. Let G be as (10), with $X = \frac{n}{d}G \in \mathbf{S}^{r \times r}$, $\text{rank } X(p_j) = r, j = 1, 2$. Let $X(0)$ be nonsingular. Choose any $\tau_d > 0$. Define $\Phi_A := s^{-1}[\frac{n}{(\tau_d s + 1)}G_A(s)X(0)^{-1} - I]$ and $\tilde{\Phi}_A := s^{-1}[\frac{n}{(\tau_d s + 1)}X(0)^{-1}G_A(s) - I]$.

(a) Let $p_1, p_2 \in \mathbb{R}_+$. (i) PD-design: If $0 \leq p_1 < \Omega$ where $\Omega := \max\{\min_{\mathcal{T} \in \Theta} \|\Phi_A\|^{-1}, \min_{\mathcal{T} \in \Theta} \|\tilde{\Phi}_A\|^{-1}\}$, then choose any $\alpha_1 \in \mathbb{R}$ satisfying

$$p_1 < \alpha_1 + p_1 < \Omega. \quad (11)$$

Let $W := (s - p_2)G_A X(0)^{-1}, \tilde{W} = (s - p_2)X(0)^{-1}G_A$. Define $\Phi_{2A} := s^{-1}[\alpha_1(I + \frac{(\alpha_1 + p_1)}{\tau_d s + 1}W)^{-1}W - I], \tilde{\Phi}_{2A} := s^{-1}[\alpha_1(I + \frac{(\alpha_1 + p_1)}{\tau_d s + 1}\tilde{W})^{-1}\tilde{W} - I]$. If $0 \leq p_2 < \Omega_2$, where $\Omega_2 := \max\{\min_{\mathcal{T} \in \Theta} \|\Phi_{2A}\|^{-1}, \min_{\mathcal{T} \in \Theta} \|\tilde{\Phi}_{2A}\|^{-1}\}$, then choose any $\alpha_2 \in \mathbb{R}$ satisfying

$$p_2 < \alpha_2 + p_2 < \Omega_2. \quad (12)$$

Let $K_p = (\alpha_1 \alpha_2 - p_1 p_2)X(0)^{-1}, K_d = (\alpha_1 + p_1)(1 + \tau_d p_2)X(0)^{-1}$; then a PD-controller that stabilizes G_A for $\mathcal{T} \in \Theta$ is given by $C_{pd}(s) = K_p + \frac{s K_d}{\tau_d s + 1}$. (ii) PID design: Let C_{pd} be as above. Then for any $\gamma \in \mathbb{R}$ satisfying (8) with $H_{pd}(0)^{-1} = \alpha_1 \alpha_2 X(0)^{-1}$, a PID-controller that stabilizes G_A for $\mathcal{T} \in \Theta$ is given by

$$C_{pid}(s) = C_{pd}(s) + \frac{\gamma \alpha_1 \alpha_2 X(0)^{-1}}{s}. \quad (13)$$

(b) Let $p_1 = \bar{p}_2 \in \mathbb{C}, n = s^2 - (p_1 + p_2)s + p_1 p_2 = s^2 - 2fs + g^2, f \geq 0, g > 0, f < g$. (i) PD-design: If $f + 2g < \Omega$, then choose any $\beta_1, \beta_2 \in \mathbb{R}, \beta_1, \beta_2 \geq 0$, satisfying

$$\beta_1 + \beta_2 + (f + 2g) < \Omega. \quad (14)$$

Let $K_p = [\beta_1 \beta_2 + \beta_1(g - f) + \beta_2 g - fg]X(0)^{-1}, K_d = (\beta_1 + \beta_2 + f + 2g)X(0)^{-1} - \tau_d K_p$; then a PD-controller that stabilizes G_A for $\mathcal{T} \in \Theta$ is

$$C_{pd}(s) = K_p + \frac{K_d s}{\tau_d s + 1} = \frac{\vartheta}{\tau_d s + 1} \frac{G(0)^{-1}}{g^2}, \quad (15)$$

$$\vartheta := (\beta_1 + \beta_2 + f + 2g)s + \beta_1(\beta_2 + g - f) + \beta_2 g - fg.$$

If $2(f + g) < \Omega$, let $K_d = 2(f + g)X(0)^{-1}$; then a D-controller that stabilizes G_A is

$$C_d(s) = \frac{K_d s}{\tau_d s + 1} = \frac{2(f + g)G(0)^{-1}s}{g^2(\tau_d s + 1)}. \quad (16)$$

(ii) PID-design: Let C_{pd} be as (15). Then with $H_{pd}(0)^{-1} = (\beta_1 + g)(\beta_2 + g - f)X(0)^{-1}$, for any $\gamma \in \mathbb{R}$ satisfying (8), a PID-controller that stabilizes G_A for $\mathcal{T} \in \Theta$ is

$$C_{pid}(s) = C_{pd}(s) + \frac{\gamma(\beta_1 + g)(\beta_2 + g - f)G(0)^{-1}}{s}. \quad (17)$$

Let C_d be as (16). Then with $H_d(0)^{-1} = g^2 X(0)^{-1} = G^{-1}(0)$, for any $\gamma \in \mathbb{R}$ satisfying (8), an ID-controller that stabilizes G_A for $\mathcal{T} \in \Theta$ is

$$C_{id}(s) = C_d(s) + \frac{\gamma G(0)^{-1}}{s}. \quad (18)$$

4. Conclusions

We showed existence of stabilizing PID-controllers for a class of LTI, MIMO plants with delays in the input and/or output channels. Moreover, for plants with only one or two unstable poles (and finitely many \mathbb{C}_- poles) we gave explicit formulae for PID controller parameters. These results are obtained from a small gain based argument. Therefore, they are conservative. We were able to quantify the level of conservatism on the examples given.

In the light of inequality conditions (6) and (8) of Proposition 4, an interesting problem to study is the computation of optimal \hat{K}_d which minimizes $\|\Phi\|$ or $\|\tilde{\Phi}\|$, and optimal (α, \hat{K}_d) minimizing $\|\mathcal{Y}\|$ or $\|\tilde{\mathcal{Y}}\|$. Fig. 4 answers this question partially for the specific example considered. The numerical values in

this figure are computed from a brute-force search. An analytic solution is possible, see Özbay and Gündes (2006) for further details.

Appendix A. Proofs

Proof of Lemma 1. Let $G = Y^{-1}X$ be an LCF. The controller C_g , which admits an RCF in the form $C_g = N_g D_g^{-1}$, stabilizes $G_A = Y^{-1}X_A$ if and only if $M_A := Y D_g + X_A N_g$ is unimodular. Since C_g stabilizes G_A , $H_A = G_A(I + C_g G_A)^{-1}$ and $I - C_g H_A = (I + C_g G_A)^{-1}$ are stable. Now $C_h \in \mathcal{S}(H_A)$ if and only if $C_h(I + H_A C_h)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$, and $(I + H_A C_h)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$. Write $C = C_g + C_h = [N_g + (I - C_g H_A)C_h(I + H_A C_h)^{-1} D_g][I + H_A C_h]^{-1} D_g^{-1}$. Define $N_c := [N_g + (I - C_g H_A)C_h(I + H_A C_h)^{-1} D_g] \in \mathcal{M}(\mathcal{H}_\infty)$, $D_c := (I + H_A C_h)^{-1} D_g \in \mathcal{M}(\mathcal{H}_\infty)$. Then $Y D_c + X A N_c = Y[(I + H_A C_h)^{-1} + H_A C_h(I + H_A C_h)^{-1}] D_g + X A N_g = M_A$ is unimodular. Therefore, $C = N_c D_c^{-1} \in \mathcal{S}(G_A)$. \square

Proof of Proposition 2. (i) Let $M_{pd} := I + G_A C_{pd}$, where $C_{pd} = \alpha \widehat{C}_{pd}$; $\alpha \|G_A \widehat{C}_{pd}\| = \alpha \|\widehat{G}_{pd}\| < 1$ implies M_{pd} is unimodular. Therefore, \widehat{C}_{pd} stabilizes G_A . (ii) The controller C_{pid} stabilizes G_A if and only if $M_{pid} := \frac{s}{s+\gamma} I + G_A \frac{s}{s+\gamma} C_{pid}$ (equivalently $\widetilde{M}_{pid} := \frac{s}{s+\gamma} I + \frac{s}{s+\gamma} C_{pid} G_A$) is unimodular. Writing $M_{pid} = I + \frac{\gamma s}{s+\gamma} \frac{(s G_A(s) \widehat{C}_{pid} - I)}{s}$, and $\widetilde{M}_{pid} = I + \frac{\gamma s}{s+\gamma} \frac{(s \widehat{C}_{pid} G_A(s) - I)}{s}$, a sufficient condition for unimodularity of M_{pid} is that γ satisfies the first upper bound in (4) and for \widetilde{M}_{pid} is that γ satisfies the second upper bound in (4). Since M_{pid} is unimodular if and only if \widetilde{M}_{pid} is, the less conservative one of these bounds suffices and hence $C_{pid} := \gamma \widehat{C}_{pid} \in \mathcal{S}(G_A)$ for $\gamma \in \mathbb{R}$ satisfying (4). \square

Proof of Proposition 3. : (a) Let $G = Y^{-1}X$ be an LCF of G . Let $C_{pid} = K_p + \frac{K_i}{s} + \frac{K_d s}{\tau_d s + 1}$ be in $\mathcal{S}(G_A)$. An RCF $C_{pid} = N_c D_c^{-1} = [(K_p + \frac{K_d s}{\tau_d s + 1}) \frac{s}{s+a} + \frac{K_i}{s+a}] \frac{s}{s+a} I_r]^{-1}$, for any $a \in \mathbb{R}$, $a > 0$. Since C_{pid} stabilizes G_A , $M_A = Y D_c + X A N_c$ is unimodular, which implies $\text{rank } M_A(0) = r = \text{rank } X(0) K_i$. Therefore, $\text{rank } X(0) = r$, equivalently, G has no transmission-zeros at $s=0$, and $\text{rank } K_i = r$. (b) Suppose that G_A is stabilized by C_p , equivalently $H_p = G_A(I + C_p G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$; or by C_d , equivalently $H_d = G_A(I + C_d G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$; or by C_i , which implies $H_i = G_A(I + C_i G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$. The (normal) ranks of H_p, H_d, H_i are equal to $\text{rank } G = r$. By Proposition 2(i), there exists a P-controller for H_d , for H_i , and for H_{id} ; there exists a D-controller for H_p , for H_i , and for H_{pi} . By Proposition 2(ii), there exists an I-controller for H_p , for H_d , and for H_{pd} . Consider $H_p \in \mathcal{M}(\mathcal{H}_\infty)$: if G has no transmission-zeros at $s=0$, then $\text{rank } H_p(0) = \text{rank}(Y + X_A C_p)^{-1}(0) X_A(0) = \text{rank } X(0) = r$. Let C_{dh} be a D-controller and C_{ih} be an I-controller for H_p . By Lemma 1, the PD-controller $C_{pd} = C_p + C_{dh}$ and the PI-controller $C_{pi} = C_p + C_{ih}$ stabilize G_A . Similarly, consider $H_d \in \mathcal{M}(\mathcal{H}_\infty)$: Since $M_{dA} := (Y + X_A C_d)$ is unimodular, $\text{rank } M_{dA}(0) = \text{rank } Y(0) = r$; i.e., G has no poles at $s=0$. If G has no transmission-zeros at $s=0$, then

$\text{rank } H_d(0) = \text{rank } M_{dA}^{-1}(0) X_A(0) = \text{rank } X(0) = r$. Let C_{ph} be a P-controller and C_{ih} be an I-controller for H_d . By Lemma 1, the PD-controller $C_{dp} = C_d + C_{ph}$ and the ID-controller $C_{di} = C_d + C_{ih}$ stabilize G_A . Consider $H_i \in \mathcal{M}(\mathcal{H}_\infty)$: let C_{ph} be a P-controller and C_{dh} be a D-controller for H_i . By Lemma 1, the PI-controller $C_{ip} = C_i + C_{ph}$ and the ID-controller $C_{id} = C_i + C_{dh}$ stabilize G_A . (c) Suppose that G_A is stabilized by C_{pd} , equivalently $H_{pd} = G_A(I + C_{pd} G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$; or by C_{pi} , which implies $H_{pi} = G_A(I + C_{pi} G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$; or by C_{id} , which implies $H_{id} = G_A(I + C_{id} G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$. The (normal) ranks of H_{pd}, H_{pi}, H_{id} are equal to $\text{rank } G = r$. Consider $H_{pd} \in \mathcal{M}(\mathcal{H}_\infty)$: if G has no transmission-zeros at $s=0$, then $\text{rank } H_{pd}(0) = \text{rank}(Y + X_A C_{pd})^{-1}(0) X_A(0) = \text{rank } X(0) = r$. Let C_{ih} be an I-controller for H_{pd} . Let C_{dh} be a D-controller for H_{pi} . Let C_{ph} be a P-controller for H_{id} . By Lemma 1, each of the PID-controllers $C_{pdi} = C_{pd} + C_{ih}$, $C_{pid} = C_{pi} + C_{dh}$, and $C_{idp} = C_{id} + C_{ph}$ stabilize G_A . \square

Proof of Lemma 2. Let $G = Y^{-1}X$ be an LCF of G . Let $C_{pid} \in \mathcal{S}(G_A)$. An RCF $C_{pid} = N_c D_c^{-1}$ is given in Proposition 3. Then $\det D_c(z_i) = \det \frac{z_i}{z_i+a} I_r > 0$ for all $z_i > 0$. If $C_{pid} \in \mathcal{S}(G_A)$, then $M_A = Y D_c + X A N_c$ is unimodular, which implies $\det M_A(z_i) = \det Y(z_i) \det D_c(z_i)$ has the same sign for all $z_i \in \mathcal{U}$ such that $X(z_i) = 0$; equivalently, $\det Y(z_i)$ has the same sign at all blocking-zeros of G . Therefore, G has the parity-interlacing-property; hence, it is strongly stabilizable (Vidyasagar, 1985). \square

Proof of Proposition 4. (i) $C_{pd} \in \mathcal{S}(G_A)$ if and only if $M_{pd} := Y + X_A C_{pd} = \frac{(s-p)}{as+1} (I + G_A C_{pd})$ is unimodular, equivalently, $\det \frac{(s-p)}{as+1} (I + G_A C_{pd}) = \det \frac{(s-p)}{as+1} \det(I + C_{pd} G_A)$ is a unit in \mathcal{H}_∞ ; equivalently, $\widetilde{M}_{pd} := \frac{(s-p)}{as+1} (I + C_{pd} G_A) = Y + C_{pd} X_A$ is unimodular. Writing $M_{pd} = \frac{(s-p)}{as+1} (I + (\alpha + p) G_A \widehat{C}_{pd}) = (I + \frac{(\alpha+p)s}{s+\alpha} \Phi_A) \frac{(s+\alpha)}{(as+1)}$, and $\widetilde{M}_{pd} = (I + \frac{(\alpha+p)s}{s+\alpha} \widetilde{\Phi}_A) \frac{(s+\alpha)}{(as+1)}$, a sufficient condition for unimodularity of M_{pd} is $(\alpha + p) < \min_{\mathcal{T} \in \Theta} \|\Phi_A\|^{-1}$ and for \widetilde{M}_{pd} is $(\alpha + p) < \min_{\mathcal{T} \in \Theta} \|\widetilde{\Phi}_A\|^{-1}$. Since M_{pd} is unimodular if and only if \widetilde{M}_{pd} is, the less conservative one of these bounds suffices and hence, C_{pd} in (7) stabilizes G_A for α satisfying (6). (ii) Since C_{pd} stabilizes G_A , $H_{pd} := M_{pd}^{-1} X_A = G_A(I + C_{pd} G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$, where $H_{pd}(0)^{-1} = G^{-1}(0) + K_p = X(0)^{-1} Y(0) + (\alpha + p) X(0)^{-1} = \alpha X(0)^{-1}$. Using similar steps as in the proof of Proposition 2, the I-controller $K_i/s = \gamma H_{pd}(0)^{-1}/s$ stabilizes H_{pd} for any $\gamma \in \mathbb{R}$ satisfying (8). So, C_{pid} in (9) stabilizes G_A . \square

Proof of Proposition 5. (a) (i) Let $M_1 := \frac{(s-p_1)}{a_1 s + 1} I + (\alpha_1 + p_1) \frac{(a_2 s + 1)}{\tau_d s + 1} X_A(s) X(0)^{-1} = \frac{(s-p_1)}{a_1 s + 1} (I + \frac{(\alpha_1 + p_1)}{\tau_d s + 1} W)$; M_1 is unimodular if and only if $\widetilde{M}_1 := \frac{(s-p_1)}{a_1 s + 1} (I + \frac{(\alpha_1 + p_1)}{\tau_d s + 1} \widetilde{W})$ is unimodular. Writing $M_1 = (I + \frac{(\alpha_1 + p_1)s}{s + \alpha_1} \Phi_A) \frac{(s + \alpha_1)}{a_1 s + 1}$, a sufficient condition for unimodularity of M_1 is $(\alpha_1 + p_1) < \min_{\mathcal{T} \in \Theta} \|\Phi_A\|^{-1}$; similarly for \widetilde{M}_1 is $(\alpha_1 + p_1) < \min_{\mathcal{T} \in \Theta} \|\widetilde{\Phi}_A\|^{-1}$. Since M_1

is unimodular if and only if \tilde{M}_1 is, the less conservative upper bound suffices and hence, M_1 is unimodular if α_1 satisfies (11). Since $C_{pd} = (\alpha_1 + p_1) \frac{(s-p_2)}{\tau_d s+1} X(0)^{-1} + \alpha_1(\alpha_2 + p_2)X(0)^{-1}$. Let $M_{pd} := Y + X_A C_{pd} = \frac{(s-p_2)}{a_2 s+1} [\frac{(s-p_1)}{a_1 s+1} I + (\alpha_1 + p_1) \frac{(a_2 s+1)}{\tau_d s+1} X_A(s)X(0)^{-1}] + \alpha_1(\alpha_2 + p_2)X_A(s)X(0)^{-1} = M_1 [\frac{(s-p_2)}{a_2 s+1} I + \alpha_1(\alpha_2 + p_2)M_1^{-1}X_A(s)X(0)^{-1}] =: M_1 M_2$. Since \tilde{M}_1 is unimodular, M_{pd} is unimodular if and only if $M_2 = \frac{(s-p_2)}{a_2 s+1} [I + \frac{(a_2 s+1)}{s-p_2} \alpha_1(\alpha_2 + p_2)M_1^{-1}X_A(s)X(0)^{-1}] = [I + \frac{(a_2 + p_2)s}{s+\alpha_2} \Phi_{2A}] \frac{(s+\alpha_2)}{a_2 s+1}$ is unimodular, equivalently, $\tilde{M}_2 = \frac{(s-p_2)}{a_2 s+1} [I + \alpha_1(\alpha_2 + p_2)X(0)^{-1} (I + \frac{(a_1 s+1)}{\tau_d s+1} W)^{-1} G_A(s)] = [I + \frac{(a_2 + p_2)s}{s+\alpha_2} \tilde{\Phi}_{2A}] \frac{(s+\alpha_2)}{a_2 s+1}$ is unimodular. A sufficient condition for unimodularity of M_2 is $(\alpha_2 + p_2) < \min_{\mathcal{F} \in \Theta} \|\Phi_{2A}\|^{-1}$ and for \tilde{M}_2 is $(\alpha_2 + p_2) < \min_{\mathcal{F} \in \Theta} \|\tilde{\Phi}_{2A}\|^{-1}$. Since M_2 is unimodular if and only if \tilde{M}_2 is, the less conservative upper bound suffices and hence, M_{pd} is unimodular if α_2 satisfies (12). Therefore, C_{pd} stabilizes G_A . (ii) Since C_{pd} stabilizes G_A , $H_{pd} := M_{pd}^{-1}X_A = G_A(I + C_{pd}G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$; $H_{pd}(0)^{-1} = K_p + X(0)^{-1}Y(0) = \alpha_1\alpha_2X(0)^{-1}$. For any $\gamma \in \mathbb{R}$ satisfying (8), the I-controller $K_i/s = \gamma H_{pd}(0)^{-1}/s$ stabilizes H_{pd} . By Lemma 1, $C_{pid} = C_{pd} + K_i/s$ in (13) stabilizes G_A . (b) Define $y := (s + \beta_1 + g)(s + \beta_2 + g - f)$, where $g - f > 0$ by assumption. Let $x := y - n = (\beta_1 + \beta_2 + f + 2g)s + \beta_1\beta_2 + \beta_1(g - f) + \beta_2g - fg$. Then $\|\frac{sx}{y}\| \leq (\beta_1 + \beta_2 + f + 2g)$, where $\frac{p_1+p_2}{2} + 2\sqrt{p_1p_2} = f + 2g$. If $\beta_1 + \beta_2 < \min_{\mathcal{F} \in \Theta} \|\Phi_A\|^{-1} - (f + 2g)$, then $\|\frac{sx}{y}\Phi_A\| \leq (\beta_1 + \beta_2 + f + 2g)\|\Phi_A\| < 1$ implies $M_{pd} := Y + X_A C_{pd} = \frac{n}{d}(I + G_A C_{pd}) = \frac{y}{d}(I + \frac{x}{y}\Phi_A)$ is unimodular, equivalently $\tilde{M}_{pd} := \frac{n}{d}(I + C_{pd}G_A) = \frac{y}{d}(I + \frac{x}{y}\tilde{\Phi}_A)$ is unimodular (a sufficient condition is $\beta_1 + \beta_2 + (f + 2g) < \min_{\mathcal{F} \in \Theta} \|\tilde{\Phi}_A\|^{-1}$). Since M_{pd} is unimodular if and only if \tilde{M}_{pd} is, the less conservative upper bound suffices and hence, C_{pd} in (15) stabilizes G_A for β_1, β_2 satisfying (14). Similarly, let $u := (s+g)^2$; then $u-n=2(f+g)s$. Since $2(f+g)\|\Phi_A\| < 1$ implies $M_d := Y + X_A C_d = \frac{n}{d}[I + G_A C_d] = \frac{n}{d}[I + \frac{2(f+g)s^2}{u}\Phi_A]$ is unimodular, C_d in (16) stabilizes G_A . (ii) Since C_{pd} in (15) stabilizes G_A , $H_{pd} := M_{pd}^{-1}X_A = G_A(I + C_{pd}G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$; $H_{pd}(0)^{-1} = G^{-1}(0) + K_p = Y(0)X(0)^{-1}$. For any $\gamma \in \mathbb{R}$ satisfying (8), the I-controller $K_i/s = \gamma H_{pd}(0)^{-1}/s$ stabilizes H_{pd} . By Lemma 1, $C_{pid} = C_{pd} + K_i/s$ in (17) stabilizes G_A . Similarly, starting with C_d in (16), $H_d = M_d^{-1}X_A = G_A(I + C_d G_A)^{-1} \in \mathcal{M}(\mathcal{H}_\infty)$; $H_d(0)^{-1} = G^{-1}(0)$ and the conclusion follows. \square

References

- Aström, K. J., & Hagglund, T. (1995). *PID controllers: Theory, design, and tuning*. (2nd ed.), Research Triangle Park, NC: Instrument Society of America.
- Blondel, V., Gevers, M., Mortini, R., & Rupp, R. (1994). Simultaneous stabilization of three or more plants: Conditions on the positive real axis do not suffice. *SIAM Journal on Control and Optimization*, 32(2), 572–590.
- Enns, D., Özbay, H., & Tannenbaum, A. (1992). Abstract model and controller design for an unstable aircraft. *AIAA Journal of Guidance Control and Dynamics*, 15(2), 498–508.
- Friedland, B. (1986). *Control system design, an introduction to state space methods*. New York: McGraw-Hill.
- Goodwin, G. C., Graebe, S. F., & Salgado, M. E. (2001). *Control system design*. Englewood Cliffs, NJ: Prentice-Hall.
- Gu, K., Kharitonov, V. L., & Chen, J. (2003). *Stability of time-delay systems*. Boston: Birkhäuser.
- Hohenbichler, N., & Ackermann, J. (2003). Computing stable regions in parameter spaces for a class of quasipolynomials. In *Proceedings of the fourth IFAC workshop on time delay systems*, Rocquencourt, France, September.
- Kharitanov, V., Niculescu, S.-I., Moreno, J., & Michiels, W. (2005). Static output feedback stabilization: Necessary conditions for multiple delay controllers. *IEEE Transactions on Automatic Control*, 50(1), 82–86.
- Lin, C., Wang, Q.-G., & Lee, T. H. (2004). An improvement on multivariable PID controller design via iterative LMI approach. *Automatica*, 40, 519–525.
- Niculescu, S.-I. (2001). *Delay effects on stability: A robust control approach*. Lecture Notes in Control and Information Sciences, Vol. 269. Heidelberg: Springer.
- Niculescu, S.-I., & Michiels, W. (2004). Stabilizing a chain of integrators using multiple delays. *IEEE Transactions on Automatic Control*, 49(5), 802–807.
- Özbay, H., & Gündes, A. N. (2006). Resilient PI and PD controllers for a class of unstable MIMO plants with I/O delays. In *Proceedings of the sixth IFAC workshop on time delay systems*, L'Aquila, Italy, July.
- Saadaoui, K., & Özgüler, A. B. (2005). A new method for the computation of all stabilizing controllers of a given order. *International Journal of Control*, 78(1), 14–28.
- Silva, G. J., Datta, A., & Bhattacharyya, S. P. (2005). *PID controllers for time-delay systems*. Boston: Birkhäuser.
- Smith, M. C. (1989). On stabilization and existence of coprime factorizations. *IEEE Transactions on Automatic Control*, 1005–1007.
- Stein, G. (2003). Respect the unstable. *Bode lecture IEEE conference on decision and control*, Tampa, FL, December 1989, *IEEE Control Systems Magazine*, August, 12–25.
- Vidyasagar, M. (1985). *Control system synthesis: A factorization approach*. Cambridge, MA: MIT Press.
- Zheng, F., Wang, Q.-G., & Lee, T. H. (2002). On the design of multivariable PID controllers via LMI approach. *Automatica*, 38, 517–526.



A.N. Gündes received the BS, MS, PhD (1988) degrees in Electrical Engineering and Computer Sciences from the University of California, Berkeley. Since 1988 she has been with the University of California at Davis, where she is a professor of Electrical and Computer Engineering. She served as an Associate Editor of the IEEE Transactions on Automatic Control (1993–1996) and has been an Associate Editor of the Journal of Applied and Computational Mathematics since 2001. She was a recipient of the NSF Young Investigator Award (NYI) in 1992.



Hitay Özbay received his BS, MEng. and PhD degrees from Middle East Technical University (Ankara, Turkey, 1985), McGill University (Montreal, Canada, 1987), and University of Minnesota, (Minneapolis, USA, 1989), respectively. He was with the University of Rhode Island from 1989 to 1990. Since 1991 he has been with The Ohio State University (Columbus, Ohio, USA), where he is currently a Professor of Electrical and Computer Engineering. He joined Bilkent University in 2002 as a Professor of Electrical and Electronics Engineering, on leave from The Ohio State University. He served as an Associate Editor on the Editorial Board of the IEEE Transactions on Automatic Control (1997–1999), and was a member of the Board of Governors of the IEEE Control Systems Society (1999). Currently he is an Associate editor of Automatica, and vice-chair of the IFAC Technical Committee on Networked Systems.



A. Bülent Özgüler received his PhD at the Electrical Engineering Department of the University of Florida, Gainesville in 1982. He was a researcher at the Marmara Research Institute of TÜBİTAK during 1983–1986. He spent one year at the Institut für Dynamische Systeme, Bremen Universität, Germany, on Alexander von Humboldt Scholarship during 1994–1995. His research interests are in the areas of decentralized control, stability robustness, realization

theory, linear matrix equations, and application of system theory to social sciences. He has about 60 research papers in the field and is the author of the book *Linear Multichannel Control: A System Matrix Approach*, Prentice Hall, 1994.

Author's personal copy