



EEC173B/ECS152C, Winter 2006

Support for Mobility

- ◆ File systems & data bases
- ◆ WWW & mobility
- ◆ WAP (Wireless Application Protocol)
- ◆ i-mode & J2ME

Acknowledgment: Selected slides from Jochen Schiller



File systems - Motivation

- Goal
 - Efficient and transparent access to shared files within a mobile environment while maintaining data consistency
- Problems
 - Limited resources of mobile computers (memory, CPU, ...)
 - Low bandwidth, variable bandwidth, temporary disconnection
 - High heterogeneity of hardware and software components (no standard PC architecture)
 - Wireless network resources and mobile computer are not very reliable
 - Standard file systems (e.g., NFS, network file system) are very inefficient, almost unusable
- Solutions
 - Replication of data (copying, cloning, caching)
 - Data collection in advance (hoarding, pre-fetching)

2



File systems - consistency problems

- THE big problem of distributed, loosely coupled systems
 - are all views on data the same?
 - how and when should changes be propagated to what users?
- Weak consistency
 - many algorithms offering strong consistency (e.g., via atomic updates) cannot be used in mobile environments
 - invalidation of data located in caches through a server is very problematic if the mobile computer is currently not connected to the network
 - occasional inconsistencies have to be tolerated, but conflict resolution strategies must be applied afterwards to reach consistency again
- Conflict detection
 - content independent: version numbering, time-stamps
 - content dependent: dependency graphs

3



File systems for limited connectivity (1)

- Symmetry
 - Client/Server or Peer-to-Peer relations
 - support in the fixed network and/or mobile computers
 - one file system or several file systems
 - one namespace for files or several namespaces
- Transparency
 - hide the mobility support, applications on mobile computers should not notice the mobility
 - user should not notice additional mechanisms needed
- Consistency model
 - optimistic or pessimistic
- Caching and Pre-fetching
 - single files, directories, subtrees, partitions, ...
 - permanent or only at certain points in time

4



File systems for limited connectivity (2)


- Data management
 - management of buffered data and copies of data
 - request for updates, validity of data
 - detection of changes in data
- Conflict solving
 - application specific or general
 - errors
- Several experimental systems exist
 - Coda (Carnegie Mellon University), Little Work (University of Michigan), Ficus (UCLA) etc.
- Many systems use ideas from distributed file systems such as, e.g., AFS (Andrew File System)

5



File systems - Coda I

- Application transparent extensions of client and server
 - changes in the cache manager of a client
 - applications use cache replicates of files
 - extensive, transparent collection of data in advance for possible future use („Hoarding“)
- Consistency
 - system keeps a record of changes in files and compares files after reconnection
 - if different users have changed the same file a manual reintegration of the file into the system is necessary
 - optimistic approach, coarse grained (file size)




6



File systems - Coda II

- Hoarding
 - user can pre-determine a file list with priorities
 - contents of the cache determined by the list and LRU strategy (Last Recently Used)
 - explicit pre-fetching possible
 - periodic updating
- Comparison of files
 - asynchronous, background
 - system weighs speed of updating against minimization of network traffic
- Cache misses
 - modeling of user patience: how long can a user wait for data without an error message?
 - function of file size and bandwidth

States of a client



7



File systems - Little Work

- Only changes in the cache manager of the client
- Connection modes and use

	Connected	Partially Connected	Fetch only	Disconnected
Method	normal	delayed write to the server	optimistic replication of files	abort at cache miss
Network requirements	continuous high bandwidth	continuous bandwidth	connection on demand	none
Application	office, WLAN	packet radio	cellular systems (e.g., GSM) with costs per call	independent

8



Database systems in mobile environments

- Request processing
 - power conserving, location dependent, cost efficient
 - example: find the fastest way to a hospital
- Replication management
 - similar to file systems
- Location management
 - tracking of mobile users to provide replicated or location dependent data in time at the right place (minimize access delays)
 - example: with the help of the HLR (Home Location Register) in GSM a mobile user can find a local towing service
- Transaction processing
 - "mobile" transactions can not necessarily rely on the same models as transactions over fixed networks (ACID: atomicity, consistency, isolation, durability)
 - therefore models for "weak" transaction

9



World Wide Web and mobility

- Protocol (HTTP, Hypertext Transfer Protocol) and language (HTML, Hypertext Markup Language) of the Web have not been designed for mobile applications and mobile devices, thus creating many problems!
- Typical transfer sizes
 - HTTP request: 100-350 byte
 - responses avg. <10 kbyte, header 160 byte, GIF 4.1kByte, JPEG 12.8 kbyte, HTML 5.6 kbyte
 - but also many large files that cannot be ignored
- The Web is no file system
 - Web pages are not simple files to download
 - static and dynamic content, interaction with servers via forms, content transformation, push technologies etc.
 - many hyperlinks, automatic loading and reloading, redirecting
 - a single click might have big consequences!

10



HTTP 1.0 and mobility I

- Characteristics
 - stateless, client/server, request/response
 - needs a connection oriented protocol (TCP), one connection per request (some enhancements in HTTP 1.1)
 - primitive caching and security
- Problems
 - designed for large bandwidth (compared to wireless access) and low delay
 - big and redundant protocol headers (readable for humans, stateless, therefore big headers in ASCII)
 - uncompressed content transfer
 - using TCP
 - huge overhead per request (3-way-handshake) compared with the content, e.g., of a GET request
 - slow-start problematic
 - DNS lookup by client causes additional traffic

11



HTTP 1.0 and mobility II

- Caching
 - quite often disabled by information providers to be able to create user profiles, usage statistics etc.
 - dynamic objects cannot be cached
 - numerous counters, time, date, personalization, ...
 - mobility quite often inhibits caches
 - security problems
 - how to use SSL/TLS together with proxies?
 - today: many user customized pages, dynamically generated on request via CGI, ASP, ...
- POSTing (i.e., sending to a server)
 - can typically not be buffered, very problematic if currently disconnected
- Many unsolved problems!

12



HTML and mobile devices

- HTML
 - designed for computers with "high" performance, color high-resolution display, mouse, hard disk
 - typically, web pages optimized for design, not for communication
- Mobile devices
 - often only small, low-resolution displays, very limited input interfaces (small touch-pads, soft-keyboards)
- Additional "features"
 - animated GIF, Java AWT, Frames, ActiveX Controls, Shockwave, movie clips, audio, ...
 - many web pages assume true color, multimedia support, high-resolution and many plug-ins
- **Web pages ignore the heterogeneity of end-systems!**
 - e.g., without additional mechanisms, large high-resolution pictures would be transferred to a mobile phone with a low-resolution display causing high costs

13



Approaches toward WWW for mobile devices

- Application gateways, enhanced servers
 - simple clients, pre-calculations in the fixed network
 - compression, filtering, content extraction
 - automatic adaptation to network characteristics
- Examples
 - picture scaling, color reduction, transformation of the document format detail studies, clipping, zoom
 - headline extraction, automatic abstract generation
 - HDML (handheld device markup language): simple language similar to HTML requiring a special browser
 - HDTP (handheld device transport protocol): transport protocol for HDML, developed by Unwired Planet
- Problems
 - proprietary approaches, require special enhancements for browsers
 - heterogeneous devices make approaches more complicated

14



Some new issues that might help mobility?


- Push technology
 - real pushing, not a client pull needed, channels etc.
- HTTP/1.1
 - client/server use the same connection for several request/response transactions
 - multiple requests at beginning of session, several responses in same order
 - enhanced caching of responses (useful if equivalent responses!)
 - semantic transparency not always achievable: disconnected, performance, availability -> most up-to-date version...
 - several more tags and options for controlling caching (public/private, max-age, no-cache etc.)
 - relaxing of transparency on app. request or with warning to user
 - encoding/compression mechanism, integrity check, security of proxies, authentication, authorization...
- Cookies: well..., stateful sessions, not really integrated...

15



System support for WWW in a mobile world I

- Enhanced browsers
 - Pre-fetching, caching, off-line use
 - e.g. Internet Explorer
- Additional, accompanying application
 - Pre-fetching, caching, off-line use
 - e.g. original WebWhacker



16

System support for WWW in a mobile world II

- Client Proxy
 - Pre-fetching, caching, off-line use
 - e.g., Caubweb, TeleWeb, Weblicator, WebWhacker, WebEx, WebMirror, ...
- Network Proxy
 - adaptive content transformation for bad connections, pre-fetching, caching
 - e.g., TranSend, Digestor

17

System support for WWW in a mobile world III

- Client and network proxy
 - combination of benefits plus simplified protocols
 - e.g., MobiScape, WebExpress
- Special network subsystem
 - adaptive content transformation for bad connections, pre-fetching, caching
 - e.g., Mowgli
- Additional many proprietary server extensions possible
 - "channels", content negotiation, ...

18

WAP - Wireless Application Protocol


- Goals
 - deliver Internet content and enhanced services to mobile devices and users (mobile phones, PDAs)
 - independence from wireless network standards
 - open for everyone to participate, protocol specifications will be proposed to standardization bodies
 - applications should scale well beyond current transport media and device types and should also be applicable to future developments
- Platforms
 - e.g., GSM (900, 1800, 1900), CDMA IS-95, TDMA IS-136, 3rd generation systems (UMTS, W-CDMA, ...)
- Forum
 - was: WAP Forum, co-founded by Ericsson, Motorola, Nokia, Unwired Planet, further information www.wapforum.org
 - now: Open Mobile Alliance www.openmobilealliance.org (Open Mobile Architecture + WAP Forum + SyncML + ...)

19


WAP - scope of standardization

- Browser
 - "micro browser", similar to existing, well-known browsers in the Internet
- Script language
 - similar to Java script, adapted to the mobile environment
- WTA/WTAI
 - Wireless Telephony Application (Interface): access to all telephone functions
- Content formats
 - e.g., business cards (vCard), calendar events (vCalendar)
- Protocol layers
 - transport layer, security layer, session layer etc.


20




21



22



23



24



WTP - Wireless Transaction Protocol

- Goals
 - different transaction services, offloads applications
 - application can select reliability, efficiency
 - support of different communication scenarios
 - *class 0*: unreliable message transfer
 - *class 1*: reliable message transfer without result message
 - *class 2*: reliable message transfer with exactly one reliable result message
 - supports peer-to-peer, client/server and multicast applications
 - low memory requirements, suited to simple devices (< 10kbyte)
 - efficient for wireless transmission
 - segmentation/reassembly
 - selective retransmission
 - header compression
 - optimized connection setup (setup with data transfer)

25



WSP - Wireless Session Protocol

- Goals
 - HTTP 1.1 functionality
 - Request/reply, content type negotiation, ...
 - support of client/server, transactions, push technology
 - key management, authentication, Internet security services
 - session management (interruption, resume,...)
- Open topics
 - QoS support)
 - Group communication
 - Isochronous media objects
 - management

26



WAE - Wireless Application Environment

- Goals
 - network independent application environment for low-bandwidth, wireless devices
 - integrated Internet/WWW programming model with high interoperability
- Requirements
 - device and network independent, international support
 - manufacturers can determine look-and-feel, user interface
 - considerations of slow links, limited memory, low computing power, small display, simple user interface (compared to desktop computers).





27







WAE Components

- Architecture: application model, browser, gateway, server
- WML: XML-Syntax, based on card stacks, variables, ...
- WMLScript: procedural, loops, conditions, ... (similar to JavaScript)
- WTA: telephone services, such as call control, text messages, phone book, ... (accessible from WML/WMLScript)
- Content formats: vCard, vCalendar, Wireless Bitmap, WML, ...

28





Email example: i-mode push with SMS

application
WSP
WTP
WDP
SMS

Operator sends an SMS containing a push message if a new email has arrived. If the user wants to read the email, an HTTP get follows with the email as response.

Popular misconception:
WAP was a failure, i-mode is different and a success – wrong from a technology point of view, right from a business point of view...

i-mode as a business model:

- content providers get >80% of the revenue.
- independent of technology (GSM/GPRS in Europe, PDC-P in Japan – but also UMTS!)

37

i-mode protocol stack based on WAP 2.0

i-mode can use WAP 2.0/Internet protocols (example: i-mode in Germany over GSM/GPRS)

38



i-mode examples I

39

WAP 2.0 (July 2001)

- New for developers
 - XHTML
 - TCP with „Wireless Profile“
 - HTTP
- New applications
 - Color graphics
 - Animation
 - Large file download
 - Location based services
 - Synchronization with PIMs
 - Pop-up/context sensitive menus
- Goal: integration of WWW, Internet, WAP, i-mode

40



Java 2 Platform Micro Edition


- „Java-Boom expected“ (?)
 - Desktop: over 90% standard PC architecture, Intel x86 compatible, typically MS Windows systems
 - Do really many people care about platform independent applications?
- BUT: Heterogeneous, “small” devices
 - Internet appliances, cellular phones, embedded control, car radios, ...
 - Technical necessities (temperature range, form factor, power consumption, ...) and economic reasons result in different hardware
- J2ME
 - Provides a uniform platform
 - Restricted functionality compared to standard java platform (JVM)

43

Applications of J2ME

- Example cellular phones
 - NTT DoCoMo introduced i^{ap}pli
 - Applications on PDA, mobile phone, ...
 - Game download, multimedia applications, encryption, system updates
 - Load additional functionality with a push on a button (and pay for it!)
- Embedded control
 - Household devices, vehicles, surveillance systems, device control
 - System update is an important factor

44



Characteristics and architecture

- Java Virtual Machine
 - Virtual Hardware (Processor)
 - KVM (K Virtual Machine)
 - Min. 128 kByte, typ. 256 kByte
 - Optimized for low performance devices
 - Might be a co-processor
- Configurations
 - Subset of standard Java libraries depending technical hardware parameters (memory, CPU)
 - CLDC (Connected Limited Device Configuration)
 - Basic libraries, input/output, security – describes Java support for mobile devices
- Profiles
 - Interoperability of heterogeneous devices belonging to the same category
 - MIDP (Mobile Information Device Profile)
 - Defines interfaces for GUIs, HTTP, application support, ...

Applications

Profile
(MIDP)

Configurations
(CDC, CLDC)

Java Virtual Machine
(JVM, KVM)

Operating system
(EPOC, Palm, WinCE)

Hardware
(SH4, ARM, 68k, ...)


45



Hardware independent development




46



Summary J2ME

- Idea is more than WAP 1.x or i-mode
 - Full applications on mobile phones, not only a browser
 - Includes system updates, end-to-end encryption
- Platform independent via virtualization
 - As long as certain common interfaces are used
 - Not valid for hardware specific functions
- Limited functionality compared to JVM
 - Thus, maybe an intermediate solution only – until embedded systems, mobile phones are as powerful as today's desktop systems



47