

Post of EEC180A-W02-v2

EEC180A Classlist - Winter 2002																											
First Name	ID #	HW	1	2	3	4	5	6	7	8	9	10	L1	L2	L3	L4	L5	L6	L7	L8	L9	Labs	MT	Quiz	Final	Total	
	626-05-	3.68	7	7	8	4	0	0	0	10	0	10	95	100	100	93	95	95	100	100	100	19.51	42	15	69	64.8	
	991-20-	7.92	10	9	10	13	15	11	8	10	8	5	90	100	100	90	100	100	100	100	100	19.56	50	20	83	77.3	
	622-90-	3.12	9	8	0	11	11	0	0	0	0	0	90	100	100	100	100	90	100	100	100	19.56	55	20	54	62.6	
	991-20-	5.2	9	7	13	13	11	0	5	0	7	0	88	100	100	86	100	96	0	0	0	12.67	40	0	31	43.6	
	558-73-	7.28	10	9	15	14	12	14	7	10	0	0	90	95	95	85	0	0	0	0	0	8.111	61	5	64	61.3	
	602-84-	7.6	9	9	14	14	15	15	9	10	0	0	90	100	100	100	100	99	100	100	100	19.76	60	10	39	63.0	
	602-02-	7.12	9	8	13	12	9	10	0	9	9	10	90	100	100	98	100	70	95	100	100	18.96	55	5	61	68.8	
	610-38-	8.8	10	10	14	14	14	14	8	10	9	7	80	100	100	98	80	90	100	100	100	18.84	47	10	70	71.3	
	604-22-	8.32	10	8	11	13	15	12	8	8	9	10	100	100	100	100	100	100	100	100	95	19.89	31	20	47	57.3	
	991-04-	5.76	10	9	12	8	8	0	5	7	6	7	85	100	100	98	95	85	95	100	100	19.07	8	0	38	42.7	
	567-67-	9.04	9	6	14	14	15	17	9	10	9	10	95	100	100	97	100	95	98	98	93	19.47	67	10	71	79.2	
	564-69-	8.64	9	9	14	14	11	16	6	10	9	10	90	100	100	100	100	100	100	97	97	19.64	70	10	29	63.2	
	991-11-	8.48	10	9	13	13	14	13	7	9	8	10	90	100	95	95	95	95	100	100	100	19.33	65	10	80	81.5	
	991-14-	5.04	7	7	14	0	9	0	8	10	8	0	70	90	100	98	100	95	100	90	100	18.73	46	10	62	63.9	
	613-82-	8.24	8	9	11	14	15	12	8	8	8	10	90	97	100	97	98	90	95	100	98	19.22	63	5	56	70.9	
	573-61-	8.8	10	9	14	14	12	14	9	9	9	10	85	100	100	100	100	95	100	100	100	19.56	60	20	76	78.8	
	616-54-	9.28	10	9	14	14	15	17	9	10	8	10	85	100	100	100	100	100	100	100	100	19.67	67	20	83	84.5	
	572-91-	9.12	10	9	12	13	14	19	9	10	8	10	90	100	100	100	95	100	100	100	100	19.67	58	5	87	82.9	
	569-65-	7.04	9	0	0	14	13	15	8	10	9	10	90	100	97	97	90	88	100	100	92	18.98	55	5	41	60.8	
	258-41-	7.28	8	4	12	15	15	10	8	10	9	0	89	100	100	97	97	95	97	0	90	17	27	5	65	59.3	
	991-02-	3.6	6	0	5	12	9	8	5	0	0	0	90	95	100	90	85	0	0	0	0	10.22	38	5		26.5	
	991-11-	6.72	8	7	13	13	11	9	6	0	7	10	95	95	100	98	100	90	100	100	100	19.51	69	10	31	61.6	
	550-83-	5.28	9	6	6	7	10	4	8	8	8	0	90	100	100	95	100	90	100	100	100	19.44	30	5	63	59.9	
	571-06-	7.52	9	8	12	13	10	7	8	9	8	10	90	100	100	90	95	100	100	100	100	19.44	57	20	58	69.2	
	602-07-	7.84	8	9	12	13	9	13	8	10	9	7	90	100	87	93	95	88	100	95	90	18.62	51	10	48	62.7	
	083-78-	6.16	8	6	0	12	15	9	4	7	6	10	85	97	85	90	95	82	95	92	95	18.13	31	0	33	47.8	
	991-11-	4.64	9	9	15	0	13	12	0	0	0	0	85	100	100	85	80	0	0	0	0	10	60	10	8	37.8	
	991-11-	7.76	10	8	12	14	14	10	6	10	8	5	85	100	100	100	100	85	100	100	100	19.33	66	0	58	72.3	
	991-09-	8.56	9	8	14	12	15	13	9	8	9	10	80	95	95	93	95	85	95	95	100	18.51	41	0	41	57.1	
	339-70-	1.28	9	1	0	6	0	0	0	0	0	0	95	90	95	85	95	80	95	100	100	18.56	31	5	51	50.6	
	612-07-	6.08	8	8	12	14	8	0	8	8	10	0	85	100	100	95	100	85	100	100	100	19.22	56	0	39	59.6	
	547-61-	4.88	6	6	12	9	10	0	0	8	0	10	85	100	100	80	95	80	100	100	100	18.67	53	0	20	49.2	
	991-39-	8.4	10	9	14	14	12	15	5	10	9	7	90	100	100	100	100	95	100	100	100	19.67	68	20	48	69.9	

Post of EEC180A-W02-v2

603-05-	7.12	10	8	10	14	0	12	7	9	9	10	94	100	100	94	100	97	100	100	77	19.16	26	5	16	41.3
569-79-	7.04	9	8	14	14	11	9	6	8	9	0	95	100	95	95	98	90	95	95	97	19.11	65	0	81	80.2
562-69-	7.68	10	8	14	9	10	12	6	10	7	10	95	70	95	95	95	95	95	100	100	18.67	35	10	74	67.6
605-68-	6.64	6	0	11	7	10	15	8	10	9	7	90	100	97	90	93	90	85	80	75	17.78	65	0	81	78.5
573-57-	8.08	8	8	12	12	14	14	8	9	9	7	94	100	100	95	100	95	100	100	0	17.42	70	10	50	68.8
991-19-	4.08	9	0	10	12	8	12	0	0	0	0	97	100	100	100	100	95	94	0	95	17.36	67	0	34	57.4
616-02-	7.44	10	8	13	14	13	13	5	10	7	0	85	100	97	82	80	90	95	95	90	18.09	47	5	46	59.6
617-78-	1.44	0	7	0	0	11	0	0	0	0	0	0	90	95	0	0	0	0	0	0	4.111	47	0		21.2
608-30-	7.36	9	8	4	13	13	10	8	8	9	10	90	90	100	100	100	90	100	100	100	19.33	45	5	35	55.7
573-77-	6.32	6	4	5	13	12	11	5	8	8	7	97	100	100	100	100	98	100	100	0	17.67	40	10	48	56.5
551-71-	8.4	7	8	13	14	15	8	10	10	10	10	90	100	100	97	100	98	100	100	100	19.67	62	5	46	67.1
501-13-	4.48	8	8	13	10	12	0	0	5	0	0	95	100	100	98	100	85	100	100	100	19.51	20	15	26	41.1
573-87-	8.16	9	7	14	14	10	14	8	9	7	10	80	100	100	93	98	92	100	98	93	18.98	60	5	70	75.1
617-74-	8.4	9	8	13	14	11	15	6	10	9	10	97	95	100	97	100	98	0	100	92	17.31	65	0	25	57.4
611-82-	8.24	9	9	10	13	14	12	9	8	9	10	90	95	95	93	90	90	95	90	100	18.62	48	0	19	50.5
991-12-	8.48	8	9	12	14	15	13	8	8	9	10	80	100	100	93	95	90	95	100	100	18.96	54	15	22	54.2
498-88-	8.16	9	8	13	12	15	11	8	9	7	10	89	100	100	90	0	0	0	0	0	8.422	36	5	67	55.4
991-34-	3.68	10	9	12	15	0	0	0	0	0	0	99	100	100	98	100	95	100	100	100	19.82	43	20	45	55.8
565-71-	8.64	9	8	13	14	15	15	8	10	9	7	85	100	100	100	98	97	100	100	93	19.4	65	5	58	72.9
021-60-	2.56	8	0	8	10	0	0	0	6	0	0	80	100	100	0	0	0	0	0	0	6.222	14	0	18	20.6
603-56-	7.68	8	9	13	14	14	11	0	9	8	10	90	97	100	92	97	90	98	95	93	18.93	54	5	58	67.8
557-93-	8.64	9	8	13	14	15	12	8	10	9	10	90	100	100	97	95	95	98	98	93	19.24	75	5	97	91.7
573-93-	8.88	9	9	13	14	15	12	10	10	9	10	95	100	100	97	100	100	85	97	100	19.42	65	5	88	85.2
571-69-	7.36	7	6	13	14	12	9	6	8	7	10	87	100	100	89	100	0	91	84	76	16.16	63	0	62	69.3
991-27-	8.24	10	8	13	13	12	13	8	8	8	10	100	100	100	100	100	100	100	100	97	19.93	62	10	27	59.6
609-07-	7.44	9	9	13	13	10	12	0	10	7	10	75	100	95	95	95	90	95	100	0	16.56	62	15	61	69.1
551-81-	9.2	9	9	14	14	15	18	8	9	9	10	90	97	100	97	97	97	95	95	100	19.29	67	20	78	82.0
623-40-	8.64	9	9	13	14	15	11	10	9	8	10	90	100	95	95	95	90	100	100	100	19.22	75	5	41	69.3
568-87-	8.72	10	7	15	15	15	12	8	9	8	10	95	97	93	87	95	82	90	90	92	18.24	40	5	47	59.1
547-75-	8.32	10	8	14	14	12	16	5	8	7	10	97	100	100	100	100	100	100	97	95	19.76	75	0	52	73.9
558-99-	3.84	0	0	0	11	0	6	5	8	8	10	97	100	100	100	100	95	100	100	97	19.76	44	10	70	66.3
606-64-	8.16	7	8	13	13	15	10	9	8	9	10	80	95	95	93	95	90	95	90	100	18.51	65	0	28	59.5
567-69-	8.56	10	7	13	15	15	12	8	9	8	10	98	100	98	95	98	95	95	98	92	19.31	69	10	93	88.1
612-40-	6.96	8	4	12	14	14	0	8	9	8	10	90	100	85	90	95	85	95	92	93	18.33	18	5	59	54.9
572-81-	9.6	10	9	14	15	15	18	9	10	10	10	100	100	100	100	100	100	100	100	20	73	20	85	87.9	
623-26-	8.96	10	8	13	14	13	17	8	10	9	10	92	100	100	100	100	98	100	97	100	19.71	75	0	55	75.7

Post of EEC180A-W02-v2

625-12-	8.48	10	8	13	14	14	17	5	10	8	7	85	100	100	87	80	85	95	85	92	17.98	60	5	36	60.9
557-65-	8.8	9	8	14	14	13	15	8	10	9	10	100	100	100	100	100	100	100	100	100	20	63	20	71	78.2
624-24-	6.96	9	9	12	8	15	10	0	9	8	7	95	100	0	95	100	80	95	100	100	17	75	5	71	77.4
558-79-	8.32	9	9	12	15	12	12	9	8	8	10	90	100	100	100	100	90	100	100	100	19.56	70	5	43	68.4
991-08-	7.92	10	8	13	14	12	11	5	8	8	10	85	100	100	100	100	95	100	100	100	19.56	42	5	72	70.3
615-38-	5.44	8	5	9	13	10	7	0	9	7	0	94	100	100	94	90	95	100	90	90	18.96	70	5	55	69.7
Total possible	total	10	10	10	15	15	15	20	10	10	10	100	100	100	100	100	100	100	100	100	900	75	15	100	95.0
average	mean	7.09																			17.97	54	7.533	53.0	63.6
standard devia	sigma	1.93																			3.256	16	6.595	20.78	14.49
If score >=	0.0	0																							
If score >=	42.0	0.7																							
If score >=	46.0	1																							
If score >=	50.0	1.3																							
If score >=	54.0	1.7																							
If score >=	58.0	2																							
If score >=	62.0	2.33																							
If score >=	66.0	2.67																							
If score >=	70.0	3																							
If score >=	74.0	3.33																							
If score >=	78.0	3.67																							
If score >=	82.0	4																							
If score >=	90.0	4																							
If score =	0.0																								
Homework is	10																								
Lab is	20																								
Midterm is	25																								
Final is	40																								